Figure 1A Nucleotide sequence of inserted environmental DNA (mHKcel cellulase)

ATCTTTAGAG	ATGAGCGTGA	TAGTCAGTGG	ACCTTAAAAG	AACTTAAAAG	50
ATTTTTAGAA	GAGATTAAAA	CGGACCCGCA	CCATCTCTCT	GTTTATTTTG	100
ATGGGGGATT	TGATTTGGAG	ACACAACGAT	CTGGCCTTGG	GTGTGTGATT	150
TATTATGAAC	AAAATGACAC	GTCTTACCGG	GTGAGAAAAA	ACGCTACCGT	200
GGCGTCATTG	ACATCGAATA	ACCAAGCAGA	ATATGCCGCT	TTGCATTTAG	250
GACTTAAAAG	AACTTGAAGG	GATCGGGCGC	ATCATCTGCC	TATCACCATT	300
TACGGTGATT	CTCAAGTTGT	GATCAATCAG	TTAAAAGGAG	AATGGGCCGT	350
GTATGGAGGA	GGTGTTAAAT	AAATGGGCTG	ACCCGTATTG	ATCAAGCATT	400
TAGCTAAATT	AGGCATGACC	GCTACTTATA	AGTTAATCCC	CCGTAAAGAA	450
AACCGCGAAG	CCGATCAACT	GGCTACACAA	GCGTTAAACG	GGCAAGAAAT	500
TATAAGTCAA	CGTGATATCA	GTGAGCGTGG	TGCAGATTAG	GCTGCACCGC	550
GCAAAAAAAG	TCAACGTGTT	TAGGAATGGA	CAGGGATTAA	AGCAACATAA	600
TTCTCTCTAA	GCAAACGTTG	CGACAGCAAG	AGAGAAGCAT	ATAAGGTTTT	650
TCTGAGTTAG	TCTATTTATA	CCAATGTCCA	CGTACTAAAT	AAACCTCTCA	700
TCAAAGTGGA	TTTTTTGATT	AATTCACTTC	CACTCCTACC	TTTATCTATA	750
TAAATTAGTT	CCTTTTTTGT	TAATAATCAC	TAATTTTGGC	GGTATTTTT	800
AATAGAAATA	TATGCTAGAT	TATAAACTAG	TAGCCGTATA	GAAGGTGGTG	850
ATTGCCCCTA	TAAGAGACGT	CTGGCAAACA	TAAAAGCATC	GCATTATTAT	900
AATCGAAAGG	TGGAGATGAG	ACATGGGTTA	TACCCAAGCT	AAGTGTATGG	950
		GGTTTAATTC		TGTGTCAATG	1000
TTTGTACCAG	TTACATCAGC	TGAAGATAGG	GTCTCTTCGT	CACAGGTGGA	1050
TATCCAATCA	TATGTAGCAG	ATATGCAACC	TGGCTGGAAT	TTAGGTAATA	1100
		GATGAAACAG		CCCTCGTGTA	1150
ACGAGAGAAT	TAATAGAAAT	GATTGCTGAT	GAAGGGTATA	AAAGTATTCG	1200
TATCCCAGTC	ACATGGCAAA	ATCAAATGGG	TGGTTCTCCA	GATTATACAA	1250
TTAATGAAGA	TTATATCAAG	CGGGTAGAGC	AAGTGATAGA	TTGGGCGTTG	1300
GAGGAAGACT	TGTATGTGAT	GTTAAATGTG	CATCATGACT	CATGGCTGTG	1350
GATGTATGAT	ATGGAACATA	ACTATGATGA	GGTGATGGCA	AGATATACAG	1400
CTATTTGGGA	ACAATTGTCG	GAAAAATTCA	AAAACCACTC	CCATAAGTTG	1450
ATGTTTGAGA	GTGTCAATGA	GCCTAGGTTT	ACGCAGGAGT	GGGGAGAGAT	1500
		ACTTAGAAGA		ACGTTCTATT	1550
	AGAGTCAGGA	GGCAATAATG	TGGAGCGCCC	TTTAGTATTG	1600
		GTCTCAGGAT		GCTTGTATCA	1650
AACAATGGAA	GACTTGGATG	ACCCTCATTT	AATTGCCACG	GTTCATTATT	1700
		GTCAATATAG			1750
		TATAGACACG			1800
		CAGTTGTATT			1850
		GTCATTCAGC			1900
		TCTCAATGAA			1950
		TAAAGCGAGA			2000
		AAAGCGAGTT			2050
		TGTGAAGGAC		TTAGAGATCA	2100
		ACGGAAATGA			2150
		GGAGAGGATT			2200
	AAGCGGGCAT	CCTCACAAGA			2250
AGGAACGAAT	GCGGTCATCA	CAGCTCAATT	TAATTCTGGA		2300
	ACAGAATGTG		CAGTCGAAAA		2350
	ATTTTGCGAT	CCCTACCCAT	TTTAATGGTG		2400
* CUUT TUT 0 QC		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			

Figure 1B

GACGATGGAA	GCTGTTTATG	CAAACGGAGA	ATATGCTGGC	CCGCAAGATT	2450
GGACGTCATT	TAAAGAATTT	GGCGAGGCGT	TTTCCCCTAA	TTACGCCACA	2500
GGGGAAATTA	TTATAACAGA	AGCCTTCTTT	AACGCGGTAC	GGGATGATGA	2550
TATCCATTTA	ACATTTCATT	ATTGGAGCGG	AGAGACGGTG	GAATATACAT	2600
TACGTAAAAA	TGGAAATTAT	GTTCAAGGTA	GACGGTAACA	TGATTTTAAT	2650
TAATAGATAA	AACAGCCTAC	CTATCGTTTT	TGGAAGAAGG	CAAACGAATC	2700
TCATCTTACC	AACACCGTGC	TTTAGAACTT	TAGAAGTGAC	GGTGTTTTT	2750
AAGACATGAG	GAGAGACAAT	CCTCTATCAA	CAGTCACCAA	TTTTTATTCA	2800
GGAGGTGTCA	AGTTATCTAA	CGTTCTATGA	ATGCATATAG	TTTCTGACGA	2850
ATAAACATAG	TTAAAAAGAA	GTGAGCCTAG	TTCCCGAGGG	GAAGGGGATA	2900
ATGCCAACGT	ATTGGATTAA	AGTACCTTCT	TGATAAAAAG	AAAGGGTTTT	2950
CAAGAGGTGG	AAATGGGCTC	GTTTGTTATA	CTTTAATTAC	ACCTTGGAAC	3000
GTCATTTTGG	CGGTGCTACT	TAGTAAGATG	ACTGACATCA	TAAAAGAGGA	3050
GTGGGTTCGA	TGGCTTTAAT	TCAATTAAGC	TTTAAATCAC	GAGCATTAAT	3100
GTTGCAAACC	TCTGTCAATG	TTTTATTACC	GGTGGGAATG	AATGCGGTAG	3150
	AAGTGATGAT	TTTTCTTATG	TTACTGACCC	TTTTCCTGTC	3200
ATTTTACACC	TGCATGGTGC	AACTGATGAT	TATTCAGCAT	GGCTACGTCT	3250
CTATATCTTT	GAACGATATG	CTGAAGAAAA	AAAATTGGCG	GTCGTCATGC	3300
GTCCTCCATT	TATGAGTGCG	TATACGGATA	TGGTACATGG	ACATCGTTAC	3350
CAAATGCTGA	TTAGTAAGGA	GCTGCCTGAG	TTTATCAAAG	CGACTTTTCC	3400
TGGACGTATA	CACCGTGAAG	ACACCTTTGC	GGCTGGTCTG	TCTATGGGAG	3450
TATTTCTCAG	TTTTAAATTA	GCGTTGCGGC	AACCGGAACG	CTTCGCTGCA	3500
GATACGGGGC		AGTTGATATG	AGAGAAGCAA	GTCAACCAGA	3550
GNTGTGTCAT	TATCAGGTGC		GACGAAAATC	GCAGGGACAG	3600
CTCCCTATTT	GTGAACGCAT	TTGGTGAAGG		TGAAGGGGCT	3650
ATCTTGATCT	TTTTCATTTA	ATTAAAAAGT	TGGGGGTATA		
AAACCAGCCC	TTTTTCAAGC	GTGTGGGACA	GAGGACTTTT	TATATGAAGA	3700
TAATGTGAGA	TTTAGAGATT	ATGCACGACA	AGTGAATGCC	GATTTAACTT	3750
ATGAAGAAGG	TCCTGGTGGT	CATGAATGGG	CTTATTGGGA	TAGAAT	3796

Figure 2 ORF Nucleotide sequence of mHKcel cellulase gene

ATGGGTTATA	CCCAAGCTAA	GTGTATGGTG	AAAAAAACGG	TCTTGTTTGG	50
TTTAATTCTC	TGTTTAGGTG	TGTCAATGTT	TGTACCAGTT	ACATCAGCTG	100
AAGATAGGGT	CTCTTCGTCA	CAGGTGGATA	1 O O 1 M 1 2	TGTAGCAGAT	150
ATGCAACCTG	GCTGGAATTT		TTTGATGCGA		200
TGAAACAGCA	TGGGGAAACC		GAGAGAATTA		250
TTGCTGATGA	AGGGTATAAA	AGTATTCGTA	TCCCAGTCAC	ATGGCAAAAT	300
CAAATGGGTG	GTTCTCCAGA	TTATACAATT	AATGAAGATT	ATATCAAGCG	350
GGTAGAGCAA	GTGATAGATT	GGGCGTTGGA	GGAAGACTTG	TATGTGATGT	400
TAAATGTGCA	TCATGACTCA	TGGCTGTGGA		GGAACATAAC	450
TATGATGAGG	TGATGGCAAG	ATATACAGCT	ATTTGGGAAC	AATTGTCGGA	500
AAAATTCAAA	AACCACTCCC		GTTTGAGAGT		550
CTAGGTTTAC	GCAGGAGTGG	GGAGAGATTC	AAGAAAATCA	TCATGCTTAC	600
TTAGAAGATT	TAAATAAGAC		ATTGTCAGAG		650
CAATAATGTG	GAGCGCCCTT		TACGATAGAA		700
CTCAGGATTT	ACTAGATCGC	TTGTATCAAA	CAATGGAAGA	CTTGGATGAC	750
CCTCATTTAA	TTGCCACGGT	TCATTATTAT	GGCTTTTGGC	CCTTTAGTGT	800
CAATATAGCA	GGGTACACCC	GTTTTGAACA	GGAGACACAA		850
TAGACACGTT	TGACCGTGTT	CATAACACAT	TTACAGCGAA		900
GTTGTATTAG	GTGAATTTGG	TTTGTTAGGC	· · ·		950
CATTCAGCAA	GGTGAGAAAT	TAAAATTTTT	TGAGTTTCTC		1000
TCAATGAACG	TGATATAACC	CATATGTTAT	GGGATAACGG		1050
AAGCGAGAAA	CTTATTCATG	GTATGATCAG			1100
AGCGAGTTGG	GAGGGGCGTT	CTGCTACAGC	TGAGTCTAAT	TTCATTCATG	1150
TGAAGGACGG	AGAGCCAATT	AGAGATCAAC		TTACTTAAAC	1200
GGAAATGAGC	TAACTGCCCT		GACGAATCGC		1250
AGAGGATTAT	GAGCTAGCAG	GAGACGTATT	AACGCTAAAA	-	1300
TCACAAGATT	AATTACCCCT	GGCCAATTAG		GGTCATCACA	1350
GCTCAATTTA	ATTCTGGAGC	AGACTGGCGT		AGAATGTGGA	1400
CGTGCCAACA	GTCGAAAATA	0	AATATGGCAT	TTTGCGATCC	1450
CTACCCATTT	TAATGGTGAT	AGTCTTGCGA		TGTTTATGCA	1500
AACGGAGAAT	ATGCTGGCCC	GCAAGATTGG	ACGTCATTTA		1550
CGAGGCGTTT	TCCCCTAATT	ACGCCACAGG	• •	ATAACAGAAG	1600
CCTTCTTTAA	CGCGGTACGG	GATGATGATA	TCCATTTAAC	ATTTCATTAT	1650
		ATATACATTA	CGTAAAAATG	GAAATTATGT	1700
TCAAGGTAGA	CGGTAA				1715

Figure 3 Amino acid sequence of cellulase mHKcel

MGYTQAKCMV KKTVLFGLIL CLGVSMFVPV TSAEDRVSSS QVDIQSYVAD	50
MOPGWNLGNT FDAIGDDETA WGNPRVTREL IEMIADEGYK SIRIPVTWQN	100
QMGGSPDYTI NEDYIKRVEQ VIDWALEEDL YVMLNVHHDS WLWMYDMEHN	150
YDEVMARYTA IWEQLSEKFK NHSHKLMFES VNEPRFTQEW GEIQENHHAY	200
LEDLNKTFYY IVRESGGNNV ERPLVLPTIE TATSQDLLDR LYQTMEDLDD	250
PHLIATVHYY GFWPFSVNIA GYTRFEQETQ QDIIDTFDRV HNTFTANGIP	300
VVLGEFGLLG FDKSTDVIQQ GEKLKFFEFL IHHLNERDIT HMLWDNGQHL	350
KRETYSWYDQ EFHDILKASW EGRSATAESN FIHVKDGEPI RDQHIQLYLN	400
GNELTALOAG DESLYLGEDY ELAGDYLTLK AGILTRLITP GQLGTNAVIT	450
AOFNSGADWR FQLQNVDVPT VENTDGSIWH FAIPTHFNGD SLATMEAVYA	500
NGEYAGPQDW TSFKEFGEAF SPNYATGEII ITEAFFNAVR DDDIHLTFHY	550
WSGETVEYTL RKNGNYVQGR R	571

Figure 4 . Enzyme Activity with Increasing NaCl Concentration




Figure 5. Influence of pH on mHKcel Cellulase Activity

